ELSEVIER

Volume 63, Numbers 1–3, January 1997

Journal of
Materials
Processing
Technology

Contents

Preface vii

Organising Committee ix

Reflections and experience with materials processing 1
W. Johnson (Chapel-en-le Frith, UK)

Microstructure and materials processing 18
R.E. Smallman, I.R. Harris and M.A. Duggan (Birmingham, UK)

1. Tube/Sheet metal forming

Forming and failure behaviour of coated, laminated and sandwiched sheet metals: a review 33
Jang-Kyo Kim and Tong-Xi Yu (Hong Kong)

An upper bound solution of tube drawing 43
Kyung-Keun Um and Dong Nyung Lee (Seoul, Korea)

An analytical solution to springback of sheet metals stamped by a rigid punch and an elastic die 49
L.C. Zhang and Z. Lin (Sydney, Australia)

An experimental investigation on the effect of h/D ratio on dynamic form-cladding of domes 55
K. Raghukandan, M. Rathinasabapathi, P.V. Vaidynathan and V. Balasubramanian (Annamali Nagar, India)

Effect of multi-axial loading path on limiting drawing ratio 60
Eiji Sato (Shizuoka-ken, Japan), Tori Shimizu, Toshio Sano (Ibaraki, Japan) and Sadakatsu Fuchizawa (Tochigi, Japan)

Forming limit of stainless steel–clad aluminium sheets under plane stress condition 66
Fusahito Yoshida and Ryutaro Hino (Higashi-Hiroshima, Japan)

Hydroforming sheet metal with intermittent changes in the draw-in condition of the flange 72
H.M. Shang, S. Qin and C.J. Tay (Singapore)

Influence of lubricant on limitation of formability of cylindrical cup-drawing 77
You-Min Huang and Jia Wine Cheng (Taipei, Taiwan)

Modelling of process parameters in explosive cladding of mild steel and aluminium 83
V. Balasubramanian, M. Rathinasabapathi and K. Raghukandan (Annamalainagar, India)

PC-based blank design system for deep-drawing irregularity shaped prismatic shells with arbitrarily shaped flange 89
Toshihiko Kuwabara and Wen-hua Si (Tokyo, Japan)

Plastic properties of low-carbon steel sheets 95
L.X. Chen, P. Bhandhubanyong, W. Vajragupta and C. Somsiri (Bangkok, Thailand)

Damage evolution and forming limit predictions of an Al_2O_{24}-T_3 aluminium alloy 100
W.B. Lee, W.H. Tai and C.Y. Tang (Hong Kong)

Role of strain-hardening laws in the prediction of forming limit curves 105
W.M. Sing and K.P. Rao (Hong Kong)

Strategies for improving efficiency on axisymmetric sheet stretching process 111
Yuung-Hwa Lu (I-Lan, Taiwan), Ching-Lun Li and You-Min Huang (Taipei, Taiwan)

Elsevier Science S.A.

Stretching during axisymmetrical forming of sheet metal 117
S. Qin, H.M. Shang, C.J. Tay and J. Mo (Singapore)

Studies of stretch-drawing process of sheet metals 123
M. Gotoh, M. Katoh and M. Yamashita (Gifu, Japan)

The influence of tool geometry on friction behaviour in sheet metal forming 129
S.S. Han (Pohang-shi, Korea)

V-shaped sheet forming by deformable punches 134
L.C. Zhang (Sydney, Australia), G. Lu (Swinburne, Australia) and S.C. Leong (Singapore)

A comparative study of limiting strain in low carbon steel 140
A. Sukapuntavorn and C. Somsiri (Bangkok, Thailand)

Study of the friction characteristics of lubricants and their affecting factors during drawing 144
Zhi Liang Zhang and Li Chen (Shanghai, P.R. China)

2. Material removal/Cutting

Automating set-up planning in machining operations 151
S.K. Ong and A.Y.C. Nee (Singapore)

Ultraprecision diamond turning of aluminium single crystals 157
S. To, W.B. Lee and C.Y. Chan (Hong Kong)

A new coding scheme for the optimisation of milling operations for utlisation by a generative expert C.A.P.P. system 163
B. Jiang, K. Baines and M. Zockel (Adelaide, Australia)

Development of a predictive model for stress distributions at the tool–chip interface in machining 169
Xiaoping Li (Singapore)

Influences of metal constituents to the characteristics and grinding abilities of metal bonded diamond wheel 175
T. Tanaka and Y. Isono (Shiga, Japan)

Machinability of Ni_3Al-based intermetallic compounds 181
Satoshi Ito, Teiji Yoshikawa, Shinichi Miyazawa and Kazuo Mori (Ibaraki, Japan)

Neural-networks-based tool wear monitoring in turning medium carbon steel using a coated carbide tool 187
Santanu Das (Lonere, India), P.P. Bandyopadhyay and A.B. Chattopadhyay (Kharagpur, India)

Study on the tool life of spade drills with and without a chip breaker 193
Q. Shen, W.S. Lau and T.C. Lee (Hong Kong)

The machinability of Inconel 718 199
M. Rahman, W.K.H. Seah and T.T. Teo (Singapore)

Tool condition monitoring using laser scatter pattern 205
Y.S. Wong, A.Y.C. Nee, X.Q. Li (Singapore) and C. Reisdorf (Aachen, Germany)

Wear characteristic of alumina coated and alumina ceramic tools 211
T. Obikawa, T. Matsumura, T. Shirakashi and E. Usui (Tokyo, Japan)

Design and characteristic analysis of supersonic nozzles for high gas pressure laser cutting 217
H.C. Man, J. Duan and T.M. Yue (Hong Kong)

3. Bulk Forming

Modern side-shafts for passengers cars: manufacturing processes II – Monobloc tube shafts 225
P. Amborn, S.K. Ghosh and I.K. Leadbetter (Lohmar, Germany)

Computer controlled measurement and analytical modelling of flow stresses during hot deformation of the copper alloy $CuZn_{42}Mn_2$ 233
A. Wahlen, U. Feurer and J. Reissner (Zurich, Switzerland)

Influence of die geometry on the workability of conversion coatings combined with soap lubricant in cold forming of steels ... 238
Hiroyuki Saiki, Gracious Ngaile and Liqun Ruan (Kumamoto, Japan)

Reverse simulation using the simulation block technique and its application in the precision forging process 244
Luan Yiguo and Sun Sheng (Jinan, P.R. China)

Simulation of fuzzy shape control for cold-rolled strip with randomly irregular strip shape 248
J.Y. Jung and Y.T. Im (Taejon, Korea)

Study on hot extrusion of tubes 254
Su-Hai Hsiang and Chao-Shun Liao (Taipei, Taiwan)

Feasability of metal forming in semi-liquid state 260
W. Lapkowski, J. Siñczak (Kraków, Poland) and B. Rusz (Ostrava-Poruba, Czech Republica)

Technological study of the roll-forging forming of swords 265
Hong Shen-zhang (Shanghai, China)

4. Powder Forming

Plasma sprayed hydroxyapatite (HA) coatings produced with flame spheroidised powders 271
K.A. Khor and P. Cheang (Singapore)

Forming of silicon nitride by the HIP process 277
P. Bhandhubanyong and T. Akhadejdamrong (Bangkok, Thailand)

Nanocrystalline powder and fibres of lead zirconate titanate prepared by the sol–gel process 281
Q.F. Zhou, H.L.W. Chan and C.L. Choy (Hong Kong)

Liquid phase sintering of metal matrix composites 286
G. Li, L. Lu and M.O. Lai (Singapore)

Mechanical alloying process of 93W–5.6Ni–1.4Fe tungsten heavy alloy 292
Ho J. Ryu, Soon H. Hong and Woon H. Beak (Taejon, Korea)

Microstructure and mechanical properties of NiAl intermetallic compound synthetized by reactive sintering under pressure 298
Kiyotaka Matsuura, Toshiki Kitamutra and Masayuki Kudoh (Hokkaido, Japan)

Monitoring of metal-powder diameter by eddy-current sensor 303
S. Miyazawa, H. Yoshida and Y. Murakoshi (Tsukuba-shi, Japan)

Preparation of Cu–Al–Ni-based shape memory alloys by mechanical alloying and powder metallurgy method 307
S.M. Tang, C.Y. Chung (Hong Kong) and W.G. Liu (University of Western Australia)

Preparation and properties of $(Sr_xPb_{1-x})TiO_3$ ceramics for high voltage capacitors 313
Z.X. Xiong and K.Z. Baba-Kiski (Hong Kong)

Sintering and microstructure of nanophase WC/Co hardmetals 317
B.K. Kim, G.H. Ha, D.W. Lee (Kyungnam, Korea)

5. Composites

Microstructure evolution during solidification of DRMMCs (discontinuously reinforced metal matrix composites): state of art 325
M.K. Surappa (Bangalore, India)

Manufacturing process and mechanical properties of thermoplastic composite components 334
M. Hou (Bankstown, Australia), L. Ye and Y.W. Mai (Sydney, Australia)

The processing of metal matrix composites – an overview 339
Brian Ralph (London, U.K.), J.C. Yuen and W.B. Lee (Hong Kong)

A new process for the fabrication of in-situ particle reinforced metal matrix composites 354
Liu Junyou, Wang Shiben (Hebei, P.R. China), Shi Zhongliang (Shanghai, P.R. China) and An Geying (Harbin, P.R. China)

Casting of SiC reinforced metal matrix composites 358
W. Zhou and Z.M. Xu (Singapore)

Compaction and sintering characteristics of composite metal powders 364
K. Yamaguchi, N. Takakura and S. Imatani (Kyoto, Japan)

Deformation analysis of composites formed by powder plating and rolling 370
Zhang Shuhong, Sun Yong, Zhang Daiming and Shi Qingnan (Kunming, P.R. China)

Development of the ferrule for optical fiber connectors with short fiber polymer composites 375
Myung Yung Jeong and Dai Gil Lee (Taejon-shi, Korea)

Fabrication of intermetallic compound matrix composite by spontaneous infiltration and subsequent in-situ reaction process .. 379
Takeo Choh, Takeshi Mohori and Makoto Kobashi (Nagoya, Japan)

Fiber metal laminates: an advanced material for future aircraft 384
A. Asundi and Alta Y.N. Choi (Hong Kong)

High temperature deformation behaviour of Al 2124-SiC_p composite 395
B.Q. Han, K.C. Chan, T.M. Yue and W.S. Lau (Hong Kong)

Injection moulding of SiC_w/Al_2O_3 composites 399
T.L. Wong, R.K.Y. Li and C.M.L. Wu (Hong Kong)

Microstructure and mechanical properties of Al–Li/SiCp composite produced by extrusion process 405
K. Hanada (Tokyo, Japan), Y. Murakoshi (Ibaraki, Japan)

Reactive processing and mechanical properties of ZrO_2/NiAl intermetallic matrix composite 411
H.C. Ryu (Chinju, Korea), M.K. Shim and S.H. Hong (Taejon, Korea)

Structure control of in-situ silicon particle reinforced Zn–27Al composite materials 417
Zhongliang Shi, Mingyuan Gu, Renjie Wu (Shanghai, P.R. China) and Junyou Liu (Shijiazhuang, P.R. China)

The characteristics of the deformation and flow process in the rolling of metal sheets and metal powders of composite materials 421
Shi Qingnan, Zhang Shuhong, Sun Yong and Zhang Daiming (Kunming, P.R. China)

The fabrication and properties of particle reinforced cast metal matrix composites 426
Sui Xiandong, Luo Chengping, Luo Zhuoxuan and Ouyang Liuzhang (Ghangzhou, P.R. China)

Metal matrix composite layer formation with 3 μm SiC_p powder on IMI318 titanium alloy surfaces through laser treatment 432
S. Mridha (Singapore) and T.N. Baker (Glasgow, U.K.)

The microstructure of composite bands formed by powder plating and rolling (PPR) 438
Sun Yong, Shi Qingnan, Zhang Shuhong and Zhang Daiming (Kunming, P.R. China)

A thermal model for cure of thermoset composites 442
S.P. Kinsey (Carrollton, USA), A. Haji-Sheikh (Arlington, USA) and D.Y.S. Lou (Lincoln, USA)

6. Plastics

High speed nylon coating of wire using a plasto-hydrodynamic pressure unit 453
S. Akter and M.S. J. Hashmi (Dublin, Ireland)

An intelligent system for plastic injection molding process design 458
K. Shelesh-Nezhad (Brisbane, Australia) and E. Siores (Swinburn, Australia)

Application of case based reasoning in injection moulding 463
C.K. Wong (Hong Kong), G.F. Smith (Warwick, U.K.) and W.S. Lau (Hong Kong)

Colouring of molded plastic products by the addition of colour masterbatches 468
A.C.-Y. Wong, N.S.K. Ng and V.L.F. Ng (Hong Kong)

Effect of mould temperature on the formation of α/β polypropylene blends in injection moulding 472
J.X. Li and W.L. Cheung (Hong Kong)

Effect of single-screw extrusion through a round die on the morphology of POM/PP blends 476
X.D. Lin and W.L. Cheung (Hong Kong)

Injection moulding, 'C-MOLD' CAE package, process parameter design and quality function deployment: a case study of intelligent materials processing 481
V.M.S. Yeung and K.H. Lau (Hong Kong)

Properties and morpholy of injection moulded liquid crystalline polymer/ploycarbonate blends 488
G.L. Chik, R.K.Y. Li and C.L. Choy (Hong Kong)

Strengthening polypropylenes pipes by flow-forming process with anti-twist system 494
K.S. Lee, M.O. Lai and C.M. Chen (Singapore)

Studies of melt flow properties during capillary extrusion of polycarbonate 501
J.Z. Liang (Guangzhou, P.R. China) and C.Y. Tang (Hong Kong)

The melting plastic behaviour of filled materials of new type PVC alloy 505
Huang Shaohui, Deng Qinyi and Shen Longguang (Guangzhou, P.R. China)

Thermal effects on the behaviour of PET films used in the in-mould-decoration process involved in plastics injection moulding 510
A.C.-Y. Wong (Hong Kong) and K.Z. Liang (Guangzhou, P.R. China)

Microwave moulding of expandable polystyrene foam with recycled material 514
M.Y. Teo, H.Y. Yeong and S.W. Lye (Singapore)

Melt flow behaviour of liquid crystalline polymer in-situ composites 519
Q.W. Xu, H.C. Man and W.S. Lau (Hong Kong)

Surface properties of polyester fabrics induced by excimer laser processing 524
K.S. Lau, P.W. Chan, K.H. Wong, K.W. Yeung, K. Chan and W.Z. Gong (Hong Kong)

7. Metallurgy/Thermo-mechanical treatments

High-speed steels with addition of niobium or titanium 531
L.A. Dobrzanski, A. Zarychta and M. Ligarski (Gliwice, Poland)

Experimental investigation of the mechanical properties of quenched rails for different quenching conditions using the temperature directly from rolling heating 542
Liu Yazheng (Beijing, P.R. China)

A study on austenite transformation during laser heating 546
T.L. Chen, Y.H. Guan, H.G. Wang and J.T. Zhang (Kunming, P.R. China)

A study of thermal stresses during laser quenching 550
H.G. Wang, Y.H. Guan, T.L. Chen and J.T. Zhang (Kunming, P.R. China)

A study on heat conduction with variable phase transformation composition during quench hardening 554
J.R. Chen, Y.Q. Tao and H.G. Wang (Kunming. P.R. China)

Comparison of the fracture and fatigue properties of 16MnR steel weld metal, the HAZ and the base metal 559
Gao Zengliang and Zhang Kangda (Hongzhou, P.R. China)

Effect of rare earth cerium on the microstructure and corrosion resistance of lased cladded nickel-base allow coatings 563
K.-L. Wang (Beijing, P.R. China), Y.-M. Zhu, Q.-B. Zhang (Macau) and M.-L. Sun (Beijing, P.R. China)

Estimation of the mechanical properties of a 42CrMo steel cylinder with phase transformation during quenching 568
Cheng Heming, Fan Jiang and Wang Honggang (Kunming, P.R. China)

The transformation of the fullerenes into diamond under different processing conditions 573
Bingqing Wei. Li Liang, Zhidong Gao, Jihong Zhang, Yanqiu Zhu, Yubao Li and Dehai Wu (Beijing, P.R. China)

Improvement of adhesive bonding in aluminium alloys using a laser surface texturing process 579
R.C.P. Wong (Hong Kong), A.P. Hoult (Coventry, U.K.), J.K. Kim and T.X. Yu (Hong Kong)

Influence of titanium to boron ratio on the ability to grain refine aluminium–silicon alloys 585
T. Sritharan and H. Li (Singapore)

Parametric studies of laser cladding processes 590
M. Qian, L.C. Lim, Z.D. Chen and W.L. Chen (Singapore)

Processing of insulating thin films and their properties 594
W. Yeh, C. Patuwathavithane and R.H. Zee (Auburn, U.S.A.)

Removal of martensite stabilisation in CANTiM shape memory alloy by post-quench ageing 600
C.W.H. Lam, C.Y. Chung, C.C.Ling, S. Fung and C.D. Beling (Hong Kong)

The effect of some processing parameters on the sinterability, microstructures and properties of sintered cordierite glass ceramics 604
P. Hing, V. Sinha and Peh Bee Ling (Singapore)

The influence of thermomechanical parameters on the earing behaviour of 1050 and 1100 aluminium alloys 610
M. Jahazi and M. Gousarzi (Teheran, Iran)

The prediction of the mechanical properties of metal during laser quenching 614
Y.H. Guan, T.L. Chen, H.G. Wang and J.T. Zhang (Kunming, P.R. China)

Undulation of W/matrix interface by resintering of cyclically heat-treated W–Ni–Fe heavy alloys 618
Heung-Sub Song, Joon-Woong Noh, Woon-Hyung Baek and Seung-Woo Lee (Taejon, Korea)

Milling induced microstructural change in furnace cooled eutectoid Zn–Al alloy 624
Y.H. Zhu, V.M. Lopez Hirata and M. Saucedo-Munoz (Mexico D.F., Mexico)

8. Computer-Aided Techniques

Three-dimensional thermo-viscoplastic analysis of compression molding of sheet molding compounds with fiber volume fraction prediction 631
S.Y. Kim and Y.T. Im (Taejon, Korea)

Three-dimensional finite element modelling of laser cutting 637
L.M. Yu (Hong Kong)

A new approach to preform design in shell nosing 640
Jin Zhu (Hangzhou, P.R. China)

Blank design and strain prediction of automobile stamping parts by an inverse finite element approach 645
C.H. Lee and H. Huh (Taejon, Korea)

Comparison of free and restrained bulge forming by finite element method simulation 651
M. Ahmed and M.S.J. Hashmi (Dublin, Ireland)

Computer-aided foundry cupola and mold analysis 655
Farouk A. Shehata (Kuala Lumpur, Malaysia)

Consideration of direct and reverse redrawing of copper sheet by rigid–platic finite element 661
Mohammad Habibi Parsa (Tehran, Iran) and Katsuhiku Yamguchi (Kyoto, Japan)

Draw-bead simulation by an elasto-plastic finite element method with directional reduced integration 666
T.H. Choi, H. Huh (Taejon, Korea), B.K. Chun and J.H. Lee (Hyundai Motor Co., Korea)

Electrothermal analysis of electric resistance spot welding processes by a 3-D finite element method 672
H. Huh and W.J. Kang (Taejon, Korea)

FE simulation method for a forging system 678
Yang Qingchun, Qu Shengnian, Zhu Qi and Min Naiyan (Beijing, P.R. China)

Finite element simulation of superplastic punch forming with a thickness control ring 684
K.S. Lee, H. Huh (Taejon, Korea) and Y.J. Choy (agency for Defense Development, Korea)

Flow analysis along the runner and gating system of a casting process 690
Shamsuddin Sulaiman and Tham Chee Keen (Serdang, Malaysia)

Modelling the pressure die casting process using boundary and finite element methods 696
K. Davey and S. Bounds (Manchester, U.K.), Zhang Weishan, Xiong Shoumei and Liu Baicheng (Beijing, P.R. China)

Simulation of metal forming processes by volume-conversed metamorphosis 701
K.K. Cheung, K.M. Yu and K.C. Hui (Hong Kong)

Study on a CAD/CAE system of die casting 707
Zhang Weishan, Xiong Shoumei and Liu Baicheng (Beijing, P.R. China)

Computer analysis for the prediction of a strip profile in cold rolling 712
A.S. Deshpande and K. Srinivasa Murthy (Bombay, India)

Finite element modelling of the high-velocity impact forging process by the explicit time integration method 718
Y.H. Yoo and D.Y. Yang (Taejon, Korea)

Expert system for pocess optimization of atmospheric plasma spraying of high performance ceramics 724
S. Gowri, G. Uma Shankar (Srinivasanagar, India), K. Narayanasamy and R. Krishnamurthy (Madras, India)

Finite element modelling of sheet forming process wit bending effects 733
Tze-Chi Hsu and Ing-Ren Shien (Taoyuan, Taiwan)

The dynamic analysis of visioplasticity for the plane upsetting process by the flow-function elemental technique 738
J.P. Wang (Keelung, Taiwan), Y.H. Tsai (Hwa-Hsai College, Taiwan) and J.J. Wang (Keelung, Taiwan)

Application of the finite-element deformation method in the fine blanking process 744
T.C. Lee, L.C. Chan and P.F. Zheng

9. Casting/Welding

Characterization of the molding methods and the binder system in the MIM process 753
Toru Shimizu, Yoichi Murakoski (Ibaraki, Japan), Krisada Wechwitayakhlung (Tokyo, Japan) Tosio Sano (Ibaraki, Japan) and Hideaki Negishi (Tokyo, Japan)

An investigation into welding parameters affecting the tensile properties of Titanium welds 759
Winco K.C. Yung (Hong Kong), B. Ralph (London, U.K.), W.B. Lee (Hong Kong) and R. Fenn (London, U.K.)

Centrifuged casting of a copper alloy using ceramic moulds 765
V.E. Vergara and N.V. Salazar (Conception, Chile)

Properties of electron beam welded SAF 2205 duplex stainless steel 770
J.S. Ku, N.J. Ho (Kaohsiung, Taiwan) and S.C. Tjong (Hong Kong)

Rapid directional solidification excited from bulk supercooled melt 776
Xie Faqin, Zhang Jun (Xi'an, P.R. China), Mao Xiemin (Shanghai, P.R. China), Li Delin and Fu Hengzhi (Xi'an, P.R. China)

Some basic research for thin-wall casting technology 779
Niyame Eisuke, Anzai Koichi, Funakubo Tatsuya (Sendai, Japan) and Hiratsuka Sadato (Morioka, Japan)

Octree reinforced thin-shell rapid protyping 784
T.W. Lam, K.M. Yu, K.M. Cheung and C.L. Li (Hong Kong)

Edge containment of a twin-roll caster for near net shape strip casting 788
X. Liang, F. Pan, S. Zhou, P. Ding and C. Xu (Chongqing, P.R. China)

Thin strip casting of high speed steels 792
F. Pan, S. Zhou, X. Liang, P. Ding and C. Xu (Chongqing, P.R. China)

Effect of preheating on the residual stress in type 304 stainless steel weldment 797
Y.C. Lin and K.H. Lee (Changhua, Taiwan)

The control of the thin-plate welds geometry and microstructure 802
Winco K.C. Yung, W.B. Lee (Hong Kong), B. Ralph and R. Fenn (London, U.K.)

The manufacture of an optical fiber coupler by the fusion elongation method 806
Y.W. Wong and K.L. Choy (Hong Kong)

10. Electrical methods

Preliminary study of material removal in electrical-discharge machining of SiC/Al 813
H. Hocheng, W.T. Lei and H.S. Hsu (Hsinchu, Taiwan)

Effect of reverse pulse current on the internal stress of electroformed nickel 819
K.C. Chan (Hong Kong), N.S. Qu and D. Zhu (Nanjing, P.R. China)

A study of ultrasonic-aided wire electrical discharge machining 823
Z.N. Guo, T.C. Lee, T.M. Yue and W.S. Lau (Hong Kong)

Some problems in the manifacturing of an electro-deposited diamond wheel 829
K. Sato, K. Suzuki, Y. Yokoyama and K. Kagawa (Tokyo, Japan)

Heating performance of electrolytic heat-treatment in aqueous solution by pulse current 833
S.F. Luk, T.P. Leung, W.S. Miu (Hong Kong) and Ian Pashby (Coventry, U.K.)

Processing of advanced ceramics using the wire-cut EDM process 839
Y.K. Lok and T.C. Lee (Hong Kong)

Development of joint electroforming technology 844
D. Zhu, N.S. Qu (Nanjing, P.R. China) and K.C. Chan (Hong Kong)

11. Wear/Shot Peening/Other

The processing of cordierite glasses containing AlN 851
J.T. Oh, P. Hing, H.S. Fong, S.F. Chin and C.L. Zeng (Singapore)

Effect of residual stress on wear of hole surfaces 855
K.L. Tee, M.O. Lai and S.C. Lim (Singapore)

The processing and testing of new and advanced materials for wear resistant surface coatings 859
Z.N. Farhat, Y. Ding, A.T. Alpas and D.O. Northwood (Windsor, Canada)

Wear of a spray-deposited hypereutectic aluminium–silicon alloy 865
S.C. Lim, M. Gupta, Y.F. Leng (Singapore) and E.J. Lavernia (Irvine, U.S.A.)

Laser diffraction method of surface roughness measurement 871
Vladimir Ostafiev (Hong Kong), Sergey Sakhno, Grigoriy Tymchik and Serguey Ostafiev (Kiev, Russia)

Estimation of residual stresses induced by grinding using a fuzzy logic approach 875
Y.M. Ali and L.C. Zhang (Sydney, Australia)

Experiment and study into the axial drifting of the cylinder of a welding roller bed 881
Fengang Shen, Xide Pan and Jin Xue (Xi'an, P.R. China)

Post-cure shrinkage of phort-sensitive material used in laser lithography process 887
J.Y.H. Fu, Y.S. Choo, L. Lu, A.Y.C. Nee, Y.S. Wong, W.L. Wang, T. Miyazawa and S.H. Ho (Singapore)

Study on the transition process of diamond grain shape in stone grinding 892
Shinsaku Hagiwara, Shuji Iwata (Yamanashi, Japan), Toshiyuki Obikawa and Eiji Usui (Tokyo, Japan)

12. Late papers

The manufacturing of an injection molding tool with a precision natural leather pattern surface by the plasma spraying of stainless steel 899
H.-O. Zhang and T. Nakagawa (Tokyo, Japan)

IBAD processing of surface coating and nanocrystalline multi-layers 902
X.M. He, H.D. Li, C.H. Liu and W.Z. Li (Beijing, China)

Study on the electro-discharge machining of a hot pressed aluminium oxide based ceramic 908
J.H. Zhang (Jinan, China), T.C. Lee and W.S. Lau (kowloon, Hong Kong)

Selection of particule reinforcement in P/M metal matrix composites 913
X. Zhang and M.J. Tan (Singapore)

Catamold^{TM} – A new direction for powder injection molding 918
Martin Bloemacher, Dieter Weinand (Ludwigshafen, Germany)

Numerical and experimental study of the behaviour of rail under different cooling rates 923
Ma Yonglin, Wang Gui, Wang Baofend (Baotou, China)

Manufacturing of bi-direction varying inter-diameter tube 927
Y.B. Zhu (Shaanxi, China)

Effect of laser melting treatment on the structure and corrosion behaviour of aluminium and Al–Si alloys 930
T.T. Wong and G.Y. Liang

Author Index 935

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors.
A leaflet describing our requirements is available from the publisher upon request.